# **PCT**

# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



### INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>5</sup> : A61K 31/315		(11) International Publication Number: WO 94/02133
		(43) International Publication Date: 3 February 1994 (03.02.94
(21) International Application Number: PCT/AU (22) International Filing Date: 15 July 1993		CZ, DE, DK, ES, FI, GB, HU, JP, KP, KR, KZ, LK
(30) Priority data: PL 3568 17 July 1992 (17.07.92)	A	PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA GN, ML, MR, NE, SN, TD, TG).
(71) Applicant (for all designated States except US): OPHARMACEUTICALS LIMITED [AU/AU]; man Manser & Assoc. Pty. Ltd., 422 King Williadelaide, S.A. 5000 (AU).	c/o Bo	With international search report.
(72) Inventor; and (75) Inventor/Applicant (for US only): TAYLOR, Regir ton [AU/AU]; 48 Denning Street, Hawthorn, (AU).		
(74) Agent: COLLISON & CO.; 117 King William St laide, S.A. 5000 (AU).	treet, A	<b>≻</b>
(54) Title: TREATMENT OF BURNS		·
(ST) Abstract		

### (57) Abstract

Method of treatment of burns and scalds of a human or animal body by application of a pharmaceutically acceptable amount by oral, parenteral of topical application of zinc glycerolate. The application of zinc glycerolate may be as a dry powder, as a cream of applied topically by an applicator.

## FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	FR	France	MR	Mauritania
ÜA	Australia	GA	Gabon ·	MW	Malawi
BB	Barbados	GB	United Kingdom	NE	Niger
BE	Belgium	GN	Guinea	NL	Netherlands
BF	Burkina Faso	GR	Greece	NO	Norway
BG	Bulgaria	RU	Hungary	NZ	New Zealand
BJ	Benin	ŧΕ	Ireland	PL	Poland
BR	Brazil	IT	Italy	PT	Portugal
BY	Belarus	JP	Japan	RO	Romania
CA	Canada	KP	Democratic People's Republic	RU	Russian Federation
CF	Central African Republic		of Korea	SĐ	Sudan
ČĞ	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
a	Côte d'Ivoire	u	Liechtenstein	SK	Słovak Republic
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
cs	Czechoslovakia	LV	Latvia	TG	Togo
CZ	Czech Republic	MC	Monaco	UA	Ukraine
DE	Germany	MG	Madagascar	US	United States of America
DK	Denmark	ML	Mali	UZ	Uzbekistan
ES	Spain	MN	Mongolia	VN	Viet Nam
PĪ	Finland	•	•		

20

25

30

1

#### TREATMENT OF BURNS

#### INTRODUCTION

This invention relates to a zinc glycerol complex when used for the treatment of burns and scalds to the human or animal body.

#### 5 BACKGROUND OF THE INVENTION

The preparation of compounds of glycerol with the transition metals has been described in "Crystalline cobalt, zinc, manganese and iron alkoxides of glycerol" by E. W. Radoslovich, M. Raupach, P. G. Slade and R. M. Taylor in Australian Journal of Chemistry 23, 1963 - 1970, (1970). These compounds form during the heating of particular metal oxides, hydroxides or salts with glycerol at temperatures around 120° C or higher. In particular the compound with zinc is of interest. The compound of zinc with glycerol is Zinc (1,2,3 - Propanetriolato [2-] - O<sub>1</sub>, O<sub>2</sub>) homopolymer, stereoisomer and may be termed zinc monoglycerolate, glycerato zinc, zinc glycerolate and colloquially "glyzinc".

15 The term zinc glycerolate will be used in this specification.

The compound is described for instance in P.C.T. International Publication WO82/01867 in the names of Taylor and Brock, and comprises a specific product of a reaction between certain zinc compounds and glycerol at certain temperature ranges. The compound is described as having uses in the therapeutic or prophylactic treatment of disorders of the human or animal skin. It is suggested that the compound may have cosmetic uses and is suggested for the compounding of shaving cream and as a topical application for the prevention of sunburn.

In WO82/01867 zinc glycerolate is mentioned as having a number of prophylactic and therapeutic uses. Thus it is mentioned as being effective in the treatment and prevention of ammoniacal dermatitis (burns in the genital area of babies which originate from ammonia liberated during the decomposition of urine - nappy rash), in the treatment of pruritus, especially in people confined to bed or immobility, for the alleviation of psoriasis, for the treatment and prevention of fungal or bacteriological decomposition of tissue and the resultant odours arising in such complaints as tinea pedis and for the prevention of industrial dermatitis arising from particular environments.

Reference is also made to P.C.T. International Application WO87/01281 in the name of the present applicant, which unlike the first referred to P.C.T.

20

25

application refers to the use of the zinc glycerolate as a per oral treatment for gastric bleeding or ulceration or in a topical application as a depot for the slow release of the compound and refers to diffusion through the skin for the treatment of arthritis and zinc insufficiency and includes psoriasis, and refers also to tests against various organisms including fungi, but does not suggest its beneficial effects ion the condition of or damage to the body set out in this specification nor does it suggest prophylactic treatments which it has now been found to have.

The results in the present invention are as quite unexpected as were the first referred to in the publication of Taylor and Brock where the therapeutic use of the compound was directed to skin irritations and sunburn. In the present invention the condition to be treated involves the destruction or necrosis of epidermal and possibly dermal cells, a condition which can be manifest as an open wound. Therefore it is surprising that zinc glycerolate has been an effective treatment of such conditions and such an expectation could not be gained from the earlier disclosures of the use of zinc glycerolate. Although the discovery was a surprising and unexpected one the observed therapeutic efficacy of an application of this compound to the area of human or animal body damaged by burning so as to cause a destruction of skin cells can be explained by the combination of the physical, chemical and biological properties that this compound has been shown to possess. The compound provides a source of bio-available zinc which is necessary for all cell repair and growth and is especially needed in the skin where 20% of the total zinc content of the body is stored. The compound is also bactericidal or bacteriostatic to the pathogens commonly associated with burns and also the hydrophobic nature of the compound helps to preserve body fluids from loss via the damaged skin.

### BRIEF DESCRIPTION OF THE INVENTION

It has been found that zinc glycerolate can be used either by itself or in formulations for the treatment of burns and scalds.

30 Hence in one form therefore the invention is said to reside in a method of treatment of a human or animal body comprising the step of application of a pharmaceutically acceptable amount by oral, parenteral or topical application of zinc glycerolate for the treatment of burns and scalds.

The term burn will be used to describe burns and scalds caused by hot liquids, solids or gases on human or animal skin.

30

In a further form the invention is said to reside in the use of zinc glycerolate in a pharmaceutically acceptable amount by oral, parenteral or topical application for the therapeutic treatment of burns and scalds.

In a still further form the invention can be said to reside in zinc glycerolate when used as a pharmaceutical in a pharmaceutically acceptable amount by oral, parenteral or topical application for the therapeutic treatment burns and scalds.

The unsuspected and surprising discovery is that the use of zinc glycerolate as a pharmaceutical appears to provide relief from the symptoms of these conditions and also appears to provide some added advantages in the repair of burned skin.

Application of zinc glycerolate can be topical and can be applied as a dry powder or as a suspension in a suitable liquid medium or semi-solid medium such as a cream or ointment or can be applied topically by an applicator (e.g. by transdermal delivery patches, spray or puffer packs) where internal mobilisation in the blood is required for transport to other internal remote areas. Alternatively it can be applied by parenteral means such as by injection in a suitable suspension or solution. Oral intake in the form of a tablet, capsule or lozenge may also be suitable for some applications of the invention.

One suitable way of treatment might include application as a cream or ointment including in its formulation zinc glycerolate to the affected body part.

It is believed that the action of zinc glycerolate for treatment in the ways as discussed above relates to the ability of the compound to be easily adsorbed into the human or animal body and to release the zinc from within the compound in a form that is readily useable.

25 Hence unexpectedly it appears that the application of the zinc glycerolate has a beneficial effect in alleviating the symptoms of or treating a number of diseases that are not caused by infection or mechanical injury.

The applicant's have carried out tests to determine the effectiveness of the zinc glycerolate from the conditions and diseases enumerated herein and believe that the results achieved in showing the effectiveness of a compound for treatment of these are entirely unsuspected from the previous disclosures of other prophylactic or therapeutic applications.

# Example

Zinc glycerolate in the form of an ointment was applied to cement burns which were fairly extensive and almost deep dermal. The healing response to this treatment was remarkably swift and much quicker than one would expect under normal dressings.

#### **CLAIMS**

- 1. A method of treatment of a human or animal body comprising the step of application of a pharmaceutically acceptable amount by oral, parenteral or topical application of zinc glycerolate for the treatment of burns and scalds.
- 5 2. A method of treatment as in Claim 1 wherein the application of zinc glycerolate is selected from the group of topical application, for instance as a dry powder, by suspension in a suitable liquid medium, as a cream or ointment by incorporation into a semi-solid or applied topically by an applicator.
- A method of treatment as in Claim 1 wherein the application of zinc
   glycerolate is parenteral means such as by injection in a suitable suspension or solution.
  - 4. A method of treatment as in Claim 1 wherein the application of zinc glycerolate is in the form of a tablet, capsule or lozenge.
- The use of zinc glycerolate in a pharmaceutically acceptable amount by
   oral, parenteral or topical application for the for the therapeutic treatment of burns and scalds.
  - 6. Zinc glycerolate when used as a pharmaceutical in a pharmaceutically acceptable amount by oral, parenteral or topical application for the therapeutic treatment of burns and scalds.

A. Int. Cl. <sup>5</sup> A61	CLASSIFICATION OF SUBJECT MATTER IK 31/315		
According to	International Patent Classification (IPC) or to both n	ational classification and IPC	
В.	FIELDS SEARCHED		·
Minimum doc IPC: A61K	numentation searched (classification system followed 31/315	by classification symbols)	
Documentation AU: IPC a	on searched other than minimum documentation to the as above	ne extent that such documents are included in	the fields searched
Electronic da WPAT JAPIO	ta base consulted during the international search (na	me of data base, and where practicable, sear	rch terms used)
C.	DOCUMENTS CONSIDERED TO BE RELEVA	NT	
Category*	Citation of document, with indication, where a	ppropriate, of the relevant passages	Relevant to Claim No.
x	AU,A,62865/86 (GLYZINC PHARMACEU 12 March 1987 (12.03.87) whole document		1-6
<b>x</b>	WO,A,82/01867 (TAYLOR, Reginald Mort whole document	on et al) 10 June 1982 (10.06.82)	1-6
	ner documents are listed e continuation of Box C.	X See patent family annex	<b>.</b>
"A" docu	ial categories of cited documents:  ment defining the general state of the art which is onsidered to be of particular relevance er document but published on or after the	principle or theory und	ed after the international ate and not in conflict a cited to understand the erlying the invention reference; the claimed naidered novel or cannot be
"L" docu or w anoth "O" docu exhit	national filing date ment which may throw doubts on priority claim(s) hich is cited to establish the publication date of her citation or other special reason (as specified) ment referring to an oral disclosure, use, bition or other means ment published prior to the international filing date	considered to involve a document is taken alon document of particular invention cannot be con inventive step when the with one or more other.	n inventive step when the e relevance; the claimed insidered to involve an educiment is combined and the comments. Such
but l	ater than the priority date claimed	combination being obvious the art document member of the	ious to a person skilled in he same patent family
Date of the a	actual completion of the international search	Date of mailing of the international search	report
1	1993 (29.10.93)	5 NOV 1993 (5.11.93)	)
Name and m	nailing address of the ISA/AU	Authorized officer	
AUSTRALI PO BOX 200 WODEN A AUSTRALI	CT 2606	J.P. PULVIRENTI	ul
Facsimile N	o. (06) 2853929	Telephone No. (06) 2832261	

# INTERNATIONAL SEARCH REPORT

Information on patent family membe

International application No. PCT/AU 93/00355

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

	Patent Document Cited in Search Report	Patent Family Member						
AU	62865/86	GB	2191941	JP	63500664	wo	87/01281	
wo	82/01867	AU GB US	78032/81 2101132 4544761	DE JP	3152555 57501783	FR JP	2494583 2056337	
							•	
							•	
•							·	
					·			
	·	٠			٠			